

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	152	perna.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 11:23
L2	15	perna.in. and spring	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 11:38
L3	2	("5988243").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 11:40
L4	6	((("1864840") or ("4860807") or ("4874025") or ("4974651") or ("5193598") or ("5421231")).PN.	US-PGPUB; USPAT	OR	OFF	2005/01/31 11:41
L5	82494	(table or bench or worktable or workbench or ((router or saw or work) adj (table or bench))) same (plastic\$5 or rubber or elastic\$5 or elastom\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 11:53
L6	15	welsh.in. and sommerville.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 11:54
L7	176	welsh.in. with robert.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 11:54
L8	174	welsh.in. adj3 robert.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 11:54
L9	173	welsh.in. adj robert.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 11:54
L10	0	"sommerville.in" with thomas.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 11:55
L11	128	sommerville.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 11:55
L12	15	sommerville.in. with thomas.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 11:55

S1	272	(144/286.5).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 17:42
S2	2	("6745804").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 17:42
S3	15	("1864840"   "20030624604"   "4206910"   "5119903"   "5193598"   "5421231"   "5490649"   "5526856"   "5592981"   "5782279"   "5836365"   "5988243"   "6029721"   "6092627"   "6199608").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/25 18:26
S4	223	(144/287).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 18:27
S5	102	ayala.in. and (metal or steel or aluminum)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/26 11:23
S6	4	ayala.in. and (metal or steel or aluminum) and (workbench or worktable or worksupport or (work adj3 (table or bench or support)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/26 11:25
S7	3431	(metal or steel or aluminum) same (workbench or worktable or worksupport or (work adj3 (table or bench or support)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/26 11:36
S8	447	aluminum same (workbench or worktable or worksupport or (work adj3 (table or bench or support)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/26 11:37
S9	42	(aluminum same (workbench or worktable or worksupport or (work adj3 (table or bench or support)))) and "144"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/26 11:40
S10	100	((plastic or thermoplastic or thermoresin or elastomer or elastomeric or elastomerically or rubber) same (workbench or worktable or worksupport or (work adj3 (table or bench or support)))) and "144"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/26 14:08

S11	28427	(table or bench or support or workbench or worktable or worksupport or (work adj3 (table or bench or support))) same ((pivot\$6 or fold\$6) with leg)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/26 12:26
S12	2554	(table or bench or support or workbench or worktable or worksupport or (work adj3 (table or bench or support))) same ((pivot\$6 or fold\$6) with leg) same ((hold\$3 or lock\$3 or maintain\$3) with (close\$3 or open\$3 or folded or pivoted))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/26 12:27
S13	69	(table or bench or support or workbench or worktable or worksupport or (work adj3 (table or bench or support))) same ((pivot\$6 or fold\$6) with leg) same ((hold\$3 or lock\$3 or maintain\$3) with (close\$3 or open\$3 or folded or pivoted)) same detent	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/26 12:29
S14	4	("4605099") or ("5592981").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/26 12:37
S15	1	("0310245").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/26 12:47
S16	122	(ayala or derecktor or obanion).in. and handle	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/26 12:48
S17	103	(ayala or derecktor or obanion).in. and handle	US-PGPUB; USPAT	OR	ON	2005/01/26 12:48
S18	1	"5836365".pn. and aluminum	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/26 13:18
S19	602	(269/289R).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/26 13:18
S20	158	(83/469).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/26 13:18

S21	92	(83/474).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/26 13:19
S22	173	(83/477).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/26 13:21
S23	454	(108/51.11).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/26 13:21
S24	529	(108/115).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/26 13:21
S25	240	(108/118).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/26 13:21
S26	248	(108/131).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/26 13:21
S27	353	(108/132).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/26 13:25
S28	616	(144/286.1).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/26 13:42
S29	272	(144/286.5).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/26 13:42
S30	1	"6745804".pn. and (plastic or rubber)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/26 14:06
S31	284	((plastic or thermoplastic or thermoresin or elastomer or elastomeric or elastomerically or rubber or polymer) same (workbench or worktable or (work adj3 (table or bench)))) and ("144"/\$ or "83"/\$ or "108"/\$ or "269"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/26 14:10

S32	91	((plastic or thermoplastic or thermoresin or elastomer or elastomeric or elastomerically or rubber or polymer) same (tool or router or powertool or saw or mitre or miter) same (workbench or worktable or (work adj3 (table or bench)))) and ("144"/\$ or "83"/\$ or "108"/\$ or "269"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/26 14:21
S33	6	((("1864840") or ("4860807") or ("4874025") or ("4974651") or ("5193598") or ("5421231")).PN.	US-PGPUB; USPAT	OR	OFF	2005/01/27 17:20
S34	2	("20040250903").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 17:20
S35	2	"20040250903".pn. and (axle with wheel)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/27 17:21
S36	6	("3118685"   "3771848"   "4335765"   "4561336"   "4694720").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/27 17:22
S37	24	("3118685").URPN.	USPAT	OR	ON	2005/01/27 17:23
S38	30	("4860807").URPN.	USPAT	OR	ON	2005/01/27 17:24
S39	43	("1005063"   "3082016"   "3493262"   "3655212"   "3669031"   "3752527"   "4269096"   "4565382"   "4611823"   "4640326"   "4682750"   "4714028"   "4860807"   "4934718"   "4955941"   "4967672"   "4969496"   "5067535"   "5080387"   "5224531"   "5277439"   "5452908"   "5462102"   "5479840"   "5526855"   "5529322"   "5603491"   "5642898"   "5687978"   "5778953"   "5819671"   "5863052"   "5927745"   "6152462"   "6240987"   "6349962"   "6371495"   "6386557"   "6471220"   "6471236").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/27 17:58
S40	1	"20040250903".pn. and cam	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/27 18:00

S41	158645	(table or bench or support or worktable or workbench or worksupport or (work adj3 (table or bench or support))) same ((extend\$6 or extens\$6 or extent\$6) with (lock\$6 or hold\$6 or secur\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/27 18:02
S42	16040	((table or bench or support or worktable or workbench or worksupport or (work adj3 (table or bench or support))) same ((extend\$6 or extens\$6 or extent\$6) with (lock\$6 or hold\$6 or secur\$6))) and ("144"/\$ or "269"/\$ or "83"/\$ or "248"/\$ or "108"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/27 18:08
S43	3340	((table or bench or worktable or workbench or (work adj3 (table or bench))) same ((extend\$6 or extens\$6 or extent\$6) with (lock\$6 or hold\$6 or secur\$6))) and ("144"/\$ or "269"/\$ or "83"/\$ or "248"/\$ or "108"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/27 18:09
S44	150	((table or bench or worktable or workbench or (work adj3 (table or bench))) same ((extend\$6 or extens\$6 or extent\$6) with (lock\$6 or hold\$6 or secur\$6))) same cam\$5) and ("144"/\$ or "269"/\$ or "83"/\$ or "248"/\$ or "108"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/27 18:10
S45	122	((table or bench or worktable or workbench or (work adj3 (table or bench))) same ((extend\$6 or extens\$6 or extent\$6) with (lock\$6 or hold\$6 or secur\$6))) same cam) and ("144"/\$ or "269"/\$ or "83"/\$ or "248"/\$ or "108"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/27 18:18
S46	2	("20030024604").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 18:20
S48	1	"20030024604".pn. and cam	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/27 18:22
S49	477	cam with clamp\$3 with lock\$3 with spring	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/27 18:45

S50	7	(cam with clamp\$3 with lock\$3 with spring) same telescop\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/27 18:33
S51	1	(cam adj clamp\$3 with lock\$3 with spring) same telescop\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/27 18:33
S52	145	cam with clamp with lock with spring	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/27 18:55
S53	18	bias\$5 same (cam with clamp with lock with spring)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/27 18:55